

Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

1.1 Product identifier Americol Car & Truckwash 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** PC 35 - Washing and cleaning products Sectors of use [SU] Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Process categories [PROC] PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC 11 - Non industrial spraying PROC 19 - Manual activities involving hand contact Environmental release categories [ERC] ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) Uses advised against This product should not be used for purposes other than the applications referred to above. **1.3** Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Americol BV Street : Sluispolderweg 33 Postal code/city: 1505 HJ Zaandam Telephone: +31 (0)75-631 32 44 Information contact : Dept. Safety, Health and Environment Website : www.americol.nl E-mail (competent person): info@americol.nl **1.4 Emergency telephone number** National Poisons Information Service (NPIS) Email: director.birmingham.unit@npis.org Website: http://www.npis.org/

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Corr. 1A ; H314 - Skin corrosion/irritation : Category 1A ; Causes severe skin burns and eye damage. Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms





Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

Hazard components for labelling

SODIUM HYDROXIDE ; CAS No. : 1310-73-2 COCODIMETHYLAMINEOXIDE ; CAS No. : 308062-28-4 ALKYLGLUCOSIDE, C8-16 ; CAS No. : 68515-73-1 Hazard statements H314 Causes severe skin burns and eye damage. **Precautionary statements** Do not breathe dust/fume/gas/mist/vapours/spray. P260 P264 Wash hands thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P310 Immediately call a POISON CENTER/doctor/.... P321 Specific treatment (see ... on this label). P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P405 Store locked up.

Remark

The product is classified and labelled according to EC directives or corresponding national laws.

2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients	
SODIUM HYDROXIDE ; REACH No. : 0	1-2119457892-27;EC No.:215-185-5;CAS No.:1310-73-2
Weight fraction :	≥ 0,5 - < 2 %
Classification 1272/2008 [CLP] :	Met. Corr. 1 ; H290 Skin Corr. 1A ; H314 Eye Dam. 1 ; H318
ALKYLGLUCOSIDE, C8-16 ; REACH No.	: 01-2119488530-36 ; EC No. : 550-220-1; CAS No. : 68515-73-1
Weight fraction :	≥ 1 - < 2,5 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318
COCODIMETHYLAMINEOXIDE ; REACH	ł No. : 01-2119490061-47 ; EC No. : 931-292-6; CAS No. : 308062-28-4
Weight fraction :	≥ 1 - < 2,5 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Aquatic Acute 1 ; H400 Aquatic Chronic 2 ; H411
Additional information	

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures General information When in doubt or if symptoms are observed, get medical advice. Following inhalation



Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

No special measures are necessary.

In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up



Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Measures to prevent aerosol and dust generation During filling, metering and sampling should be used if possible: Closed devices

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

DNEL/DMEL

COCODIMETHYLAMINEOXIDE ; CAS	No. : 308062-28-4
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	1,53 mg/m ³
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	5,5 mg/kg
Safety factor :	Lichaamsgewicht/dag
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Oral
Exposure frequency :	Long-term
Limit value :	0,44 mg/kg
Safety factor :	Lichaamsgewicht/dag
Limit value type :	DNEL worker (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	6,2 mg/m ³
Limit value type :	DNEL worker (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	11 mg/kg
Safety factor :	Lichaamsgewicht/dag
PNEC	



Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020



3.1.0 (3.0.0)

COCODIMETHYLAMINEOXIDE ; CAS No. : 308062-28-4 Limit value type : PNEC (Aquatic, freshwater) Water (Including sewage plant) Exposure route : Limit value : 0,0335 mg/l PNEC (Aquatic, marine water) Limit value type : Exposure route : Water (Including sewage plant) Limit value : 0,00335 mg/l PNEC (Sediment, freshwater) Limit value type : Exposure route : Soil Limit value : 5,24 mg/kg PNEC (Sediment, marine water) Limit value type : Exposure route : Soil Limit value : 0,524 mg/kg Limit value type : PNEC (Soil) Exposure route : Soil Limit value : 1,02 mg/kg PNEC (Sewage treatment plant) Limit value type : Exposure route : Water (Including sewage plant) Limit value : 24 mg/l

8.2 Exposure controls

Personal protection equipment



Eye/face protection

Eye glasses with side protection

Skin protection

Hand protection Suitable gloves type EN ISO 374 Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Required properties liquid-tight. Breakthrough time (maximum wearing time) Permeation time (maximum wear time) Thickness of the glove material Nitril: 0,12 mm Butyl: 0,50 mm

General information

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Colour: light brown
- Odour: odourless

Safety characteristics

Physical state : Melting point/freezing point :			Liquid not applicable	
Initial boiling point and boiling range :	(1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Freezing point :			No data available	
Flash point :			not applicable	
Auto-ignition temperature :			No data available	
Lower explosion limit :				Vol-%



Trade name : Revision date : Print date : 	Americol Car & Truckwash 19-10-2020 23-12-2020	Version (Revision) :	3.1.0 (3.0.0)
Upper explosion lim	it :	Vol-%	
Vapour Pressure :	(20 ℃)	No data available	

vapour Pressure :	(20 C)		NU uata avaliable	
Evaporation rate (n-butylacetate 1) :	=		No data available	
Density :	(20 °C)	approx.	1,06	g/cm ³
Water solubility :	(20 °C)		100	Wt %
pH :			13	
Partition coefficient (n- octanol/water) :		<	3	
Viscosity :	(20 °C)	<	10	mPa*s
Vapour density (air = 1) :	(101 kPa)		No data available	
Valt onder Detergentia Verordening (EG) Nr. 648/2004 J/N			yes	
the are information				

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

not applicable

10.2 Chemical stability Stable under normal conditions of use

- **10.3 Possibility of hazardous reactions**
 - No information available.

10.4 Conditions to avoid No information available.

- **10.5 Incompatible materials** Strong oxidizers
- **10.6 Hazardous decomposition products** No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Corrosion

Skin corrosion/irritation corrosive. Serious eye damage/eye irritation corrosive. Irritation to respiratory tract No data available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP. **Germ cell mutagenicity**

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

STOT-single exposure

not applicable



Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

STOT-repeated exposure

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

SECTION 12: Ecological information

12.1 Toxicity

harmless to aquatic organisms up to the tested concentration

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name No dangerous good in sense of these transport regulations.
14.3 Transport hazard class(es) No dangerous good in sense of these transport regulations.

14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

- None
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation



Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

Authorisations and/or restrictions on use		
Restrictions on use		
Use restriction according to REACH annex XVII, no. : 3		
Other regulations (EU)		
Labelling for contents according to regulation (EC) No.	648/20	04
non-ionic surfactants	< 5	%
anionic surfactants	< 5	%
15.2 Chemical safety assessment		

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

16.1 Indication of changes

01. Sectors of use [SU] · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society of Testing and Materials (US) CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC50 = Median effective concentration EINECS = European Inventory of Existing Commercial Chemical Substan ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EWC = European Waste Catalogue IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG = International Maritime Dangerous Goods Code IMO = International Maritime Organization LC50 = Concentration required to kill 50% of test organisms LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level MRL = Maximum Residue Limit NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level OEL = Occupational Exposure Limits PBT = Persistent, Bioaccumulative or Toxic PNEC = Previsible Non Effect Concentration STEL = Short-Term Exposure Limit TWA = Time-Weighted Average vPvB = Very Persistent and Very Bioacccumulative 16.3 Key literature references and sources for data None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Indeling van de stof of het mengsel: classificatie conform Verordening (EG) Nr. 1272/2008 [CLP] door middel van calculatiemethode via software.

16.5 Relevant H- and EUH-phrases (Number and full text)

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.



Trade name : Revision date : Print date : Americol Car & Truckwash 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

Article No.: 861

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.