

Genie XS. Cleaning ON DEMAND!





Try the cleaning ON DEMAND experience: cleaning whenever and wherever you want

ALWAYS CHARGED AND READY TO USE Thanks to the lithium ion battery It is ideal to perform many, short and targeted cleaning operations during the same day

ALWAYS AT YOUR SIDE Small and lightweight, you can take it wherever you need it.

CLEANS EVERYWHERE Thanks to its compact dimensions there is no space too small to be cleaned



SAFER CLEANING WITH Genie XS

Scrubs and dries in a single pass. The floor is dry and safe to walk on in just a few seconds, preventing the risk of dangerous slips.

Ideal for fast food restaurants, restaurants in general, self service diners or bars, even for cleaning during business hours.





LITHIUM ION TECHNOLOGY BATTERY



You can quickly recharge it to use it during the same day as often as you wish





FAST CHARGE You can use Genie XS several times in a single day

MAXIMUM POWER Constant power throughout the entire cleaning operation

LOW RUNNING AND MAINTENANCE COSTS High discharge/charge cycle lifespan

HANDY BATTERY CHARGER Lets you recharge anywhere, without wasting time

Genie XS PARABOLIC SQUEEGEE Perfect scrubbing and drying, in any direction




The innovative rotary head is equipped with a parabolic squeegee which continuously follows the direction of the machine, for perfect scrubbing and drying results in any direction and even in the most inaccessible corners.





The brush is offset laterally relative to the machine housing, for perfect cleaning along walls and making sure that the entire floor surface in a room is hygienically washed.



Genie XS is perfect for restaurant businesses, cleaning effectively and effortlessly under tables and chairs because it washes and dries also when moving backwards.

It increases f FUNCTIONAL

Genie XS is quick to disassemble, so even an inexperienced operator can clean it in very little time

The tanks are detached effortlessly and with no tools.

Refilling with clean water and cleaning the dirty water tank take almost no time at all, as does cleaning the solution filter, the squeegee hose and the vacuum manifold. Simplified maintenance at the end of the shift ensures that maintenance is performed regularly, as it only takes a few minutes.

Correct daily maintenance prevents the formation of mould and unpleasant odours inside the scrubbing machine

DETERGENT SOLUTION

FIMAP

A SALAR AND A DIE A MER CARA CE SU COLLAND

The frame and brush head are made of aluminium with an anti-corrosion treatment

RECOVERY TANK

The squeegee rubber blade ensures outstanding drying performance even when cleaning oily liquids, which may commonly be found on the floors of a professional kitchen or restaurant

loor hygiene

Designed to adapt to the operator for extraordinary comfort and safety

The steering wheel is covered in soft-touch, anti-slip material for a sure, comfortable grip.



The controls on the steering wheel are simple and intuitive, and are easy to use for an inexperienced operator, ensuring total control over the machine and the cleaning process.


Cleaning settings are already pre-configured when using the automatic scrubbing function. Simply press the AUTO button to start.



The steering wheel height and tilt are adjustable to suit the stature of the operator and reduce back fatigue.

ERGONOMIC

ECOMODE SYSTEM Ideal for maintenance cleaning, as it ensures perfect hygiene with no wastage!



A single button for optimising detergent solution usage and energy consumption, increasing working autonomy and reducing noise levels, for cleaning at any time of day without disturbing the people around.



Sturdy and lightweight

With materials such as aluminium for the base and chassis, the Genie XS is both sturdy and lightweight, putting less strain on the operator during use and transport, even when carrying up and down stairs in buildings with no lifts. Once folded, the machine can be carried easily with the handle on the control bar.

Otherwise, a pair of large wheels let you pull the machine along like a trolley.



When not in use, the machine's compact dimensions mean that it can be stored anywhere, even in the smallest closet







TECHNICAL DATA		Genie XS	TECHNICAL DATA		Genie XS
Squeegee width	mm	325	Suction vacuum	mbar	71
Working width	mm	280	Forward speed	km/h	3,2
Solution tank	I	3	Supply	V	36
Recovery tank	I	4	Gradeability	%	2
Disc brush Ø	(n.) mm	(1) 280	Battery		Li-lon
Brush motor	V/W	36/90	Battery power	V/Ah (n.)	36/5,2 (1)
Brush rpm	rpm	150	Machine weight (with battery)	kg	20
Brush pressure	kg	10	Machine dimensions (L x h x w)	mm	555x1050x375
Suction motor	V/W	36/150	Working capacity	up to sq.m/h	900

CERTIFICATIONS



For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

